



RJ-2000

2" Mobile Label/Receipt Printer Series



Our fastest and lightest mobile printers yet, delivering reliability in the most rugged environments

RJ-2000 Series

Versatile connectivity for printing labels or receipts in the most rugged environments.



USER FLEXIBILITY

Compatible with a wide range of mobile devices and operating systems, including iOS and Android



DURABLE

IP54 rating - Drop tested to 2.5m without the need for a case



LIGHTWEIGHT

Our lightest device ever, ideal for printing on the move



EASY TO USE

Mono LCD and 3 flat membrane keys



EASY TO INTEGRATE

Simple integration into existing applications with free software development kit (SDK)*



CUSTOMISABLE

Power options include rechargeable batteries, AC adaptor, vehicle power kits and linkable battery chargers

*Available from: <https://online.brother.co.uk/developer>

Step 1. Choose your printer

	Rugged Receipt		Rugged Label/Receipt	
	RJ-2030	RJ-2050	RJ-2140	RJ-2150
203dpi print resolution	✓	✓	✓	✓
IP54 Certification	✓	✓	✓	✓
152mm/sec Print speed	✓	✓	✓	✓
USB	✓	✓	✓	✓
Bluetooth	✓	✓	✗	✓
AirPrint	✗	✓	✓	✓
Made for iPod iPhone iPad	✗	✓	✗	✓

The RJ-2000 series can print up to 2" width receipts, quotes and labels on the spot.

The new series has a range of benefits over competing models, including being **20% lighter** in weight and **15% smaller**, whilst maintaining print speed and connectivity.

They provide you with the perfect on-person device for mobile workers needing a **2" printing solution**; from logistics and transportation to retail merchandising and healthcare facilities management.

Plus, with increased adaptability and connectivity they can increase productivity in demanding environments.

LOGISTICS/TRANSPORT

- ✓ Order Confirmations
- ✓ Delivery Receipts
- ✓ Multi-purpose labelling
- ✓ Invoices
- ✓ Goods receipts

RETAIL





- ✓ Shelf Labelling
- ✓ Price reduction
- ✓ On-site warehousing
- ✓ Customer Receipts
- ✓ Queue busting



HEALTHCARE



- ✓ Laboratory
- ✓ Stock/ Logistics control
- ✓ Facilities



Step 2. Choose your Accessories

Power Options			
PA-BT-003	PA-AD-600UK	PA-CD600WR	PA-CD600CG
Li-ion Battery	AC Adapter	Wire-type Car Adapter	Cigarette-type Car Adapter
			

Additional Options	
PA-BC-002	PA-SS-4000
Battery charger (up to 4 connect & wall mountable)	Shoulder Strap
	

Label/Paper Options	
RD-R03E5	RD-Q04E1
Continuous Receipt Roll 58mm (12m length/roll)	White Die-cut Label 51mmx26mm (450 labels/roll)*
	

*Only for RJ-2140 & RJ-2150.

Specifications

PRINTING	Rugged Receipt		Rugged Label/Receipt	
	RJ-2030	RJ-2050	RJ-2140	RJ-2150
Print resolution	203dpi			
Print technology	Direct thermal			
Print speed	Maximum 6ips* (152mm/sec)			
Paper feed method	Roll feed			
Print width	Maximum 54mm			
Print length	Maximum 1m			
Roll width	58mm			
Roll diameter	40mm		60mm	
Barcode	Yes			
Interfaces				
LCD	Yes			
USB	Standard			
Bluetooth (Ver. 2.1)	Yes	Yes	No	Yes
WiFi (802.11 b/g/n)	No	Yes	Yes	Yes
Memory				
Memory size (RAM/Flash)	32MB / 32MB			
General				
Dimensions	122mm(W) x 57mm (H) x 99.3mm (D)		150mm(W) x 75mm (H) x 99.3mm (D)	
Weight inc. battery	465g (approx)		475g (approx)	
Battery	Rechargeable Li-ion (PA-BT-003):7.2V included			
AC adapter	Optional Accessory (15 V)			
Car adapter	Optional Accessory (Cigarette or wired)			
Operating system support	Microsoft® / Windows Vista® / Windows® 7 / Windows® 8 Windows® 8.1 / Windows® 10			
SDK	Android 2.3 or later / iOS 6 or later			
Supported Command				
Environmental	Raster, ESC/P, P-touchTemplate, ZPLII emulation, CPCL emulation			
Temperature	-10 to 50 deg C (During Operation) -20 to 60 deg C (During Storage)		-20 to 50 deg C (During Operation) -25 to 65 deg C (During Storage)	
Humidity	10-90% (No Condensation)			
Drop protection	2.5m			
Sealing certification	IP54			
Contents				
Provided	Li-ion battery, Belt clip, Documents			



Brother Partner

Beratung-Verkauf-Service
Integer Solutions GmbH
Industriestraße 4
D-61200 Wölfersheim
Tel. +49 (0)6036-90557-0
office@integer-solutions.com

*Under Brother standard environment

All specifications correct at time of printing October 2016.
Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side